




Strong Door Hooks



NotEnoughGlue

[VIEW IN BROWSER](#)

updated 22. 5. 2023 | published 22. 5. 2023

Summary

Strong over door hooks for general purpose use! can hold over 20kg!

[Household](#) > [Home Decor](#)

Tags: [door](#) [hook](#) [hanging](#) [strong](#) [storage](#) [organization](#)

Strong over door hooks for general purpose use! can hold over 20kg!

Available in thick (15mm wide) and thin (7.5mm wide) versions with variants for different door sizes.

The hooks photographed are 46mm door thickness and both the thick and thin versions have been tested holding 20kg of kettlebells for 24 hours with no issues and I suspect they can hold much more!

Print settings for the pictured models are 0.6mm nozzle, 0.4mm Layer height, 235 nozzle temp and 80 bed temp with eSun PETG. I used a wall count of 15 to ensure they were printed with all walls and no infill for optimum strength.

The measurement in the print files are for the thickness of your door.

Model files



door-hook-strong-35mm-thick.stl



door-hook-strong-35mm-thin.stl



door-hook-strong-36mm-thick.stl



door-hook-strong-36mm-thin.stl



door-hook-strong-40mm-thick.stl



door-hook-strong-40mm-thin.stl



door-hook-strong-45mm-thick.stl



door-hook-strong-45mm-thin.stl



door-hook-strong-46mm-thick.stl



door-hook-strong-46mm-thin.stl



door-hook-strong-54mm-thick.stl



door-hook-strong-54mm-thin.stl

License ©



This work is licensed under a
[Creative Commons \(4.0 International License\)](https://creativecommons.org/licenses/by-nc-nd/4.0/)

Attribution—Noncommercial—No Derivatives

-
- ✖ | Sharing without ATTRIBUTION
 - ✖ | Remix Culture allowed
 - ✖ | Commercial Use
 - ✖ | Free Cultural Works
 - ✖ | Meets Open Definition